



## FÉDÉRATION AÉRONAUTIQUE INTERNATIONALE

Maison du Sport International Avenue de Rhodanie 54 CH-1007 Lausanne Switzerland  
Tel: +41(0)21/345.10.70; Fax: +41(0)21/345.10.77; sec@fai.org

### FAI AEROMODELLING COMMISSION (CIAM) ELECTRONIC DEVICES IN COMPETITIONS WORKING GROUP (EDIC-WG)

#### References:

FAI web site: [www.fai.org](http://www.fai.org)  
CIAM website: [www.fai.org/aeromodelling](http://www.fai.org/aeromodelling)

**To:** CIAM web site under AMRT Approvals  
CIAM Technical Secretary  
F5 Sub Committee

**Copy:** Manufacturer Concerned

**Date:** 21 March 2014

#### CIAM APPROVAL FOR F5J ALTIMETER/MOTOR RUN TIMER (AMRT)

**Approval Reference:** AMRT 008  
**Manufacturer:** Jeti model s.r.o.  
**Manufacturer Contact:** [jeti@jetimodel.com](mailto:jeti@jetimodel.com)  
**Device Name/s:** Mvario2 Ex JetiBox

- (i) This document gives formal approval from the above date for the AMRT equipment described below to be used for competitions under the Sporting Code Section 4: Aeromodelling – Class F5J – Electric Thermal Duration Gliders.
- (ii) This document is the initial approval for this type of AMRT and only applies to the functions relevant to the F5J competition class rules.
- (iii) Tests undertaken by EDIC-WG (or such representative as it may appoint), are specifically concerned with the functions relevant to the F5J competition class rules. Other functions of the equipment are not part of this approval and the relevance of this document does not extend beyond the specific validation and certification purposes mentioned above.
- (iv) This document does not constitute a guarantee of compatibility of the device listed above with any associated devices with which it may be interconnected.
- (v) This document does not constitute any guarantee and/or statement by EDIC-WG, CIAM and/or FAI as to the reliability of the device listed above.
- (vi) This approval is not concerned with National and other regulations relating to electronic equipment and compliance with such regulations is not the responsibility of the FAI.
- (vii) This approval is not concerned with, and the FAI has no responsibility for, matters related to: (a) intellectual property and intellectual property rights and/or, (b) relations of the manufacturer listed above with any other entities except with FAI and its agents or as they affect the FAI, its agents and this approval.

#### EQUIPMENT

##### 1 HARDWARE

- 1.1 Equipment Name
  - 1.1.1 Jeti Mvario2 Ex F5J
  - 1.1.2 JetiBox

## 1.2 Hardware Version

The Equipment Name defines the hardware version. The electronic hardware is identical to a standard Jeti vario sensor module. The functionality for F5J applications is defined by the installed firmware (refer to 2.1).

*No vario functions are available in the F5J application.*

## 1.3 External Features

The AMRT module is a heatshrink encased circuit board with shrouded on board pin connectors for connecting to the control equipment within a model.

*Where the device may be subject to verification by competition organisers, the user will be required to have a suitable socket to socket cable available for connecting to the test equipment and may not wish to remove the cable from the receiver. An additional cable is therefore required.*

A cable terminated in a 3 way JR socket is used to connect with the JetiBox to read the F5J Start Height.

This same connector allows the user to install the firmware using a personal computer and a Jeti USB adapter.

The JetiBox is used for display purposes.

The pushbutton switches on the JetiBox provide no functionality in the F5J application.

## 1.4 Pressure Altitude Sensor

The pressure sensor module is manufactured by Measurement Specialities (MEAS) Switzerland (formerly Intersema Sensoric SA).

# 2 FIRMWARE

## 2.1 Firmware Version

F1.03

## 2.2 Pressure to ISA Height Conversion

The firmware uses a high precision computation to perform the pressure to ISA height calculation. Calibration factors provided by the pressure sensor manufacturer are incorporated in the calculation.

## 2.3 Temperature Compensation

The firmware incorporates temperature compensation processing in accordance with the pressure sensor manufacturer's recommendations.

## 2.4 Dynamic Response

Oversampling of pressure sensor data and subsequent processing does not contribute any significant degradation of dynamic response in the context of the F5J competition application.

# 3 CONDITIONS OF APPROVAL

3.1.1 This Approval is only applicable to devices of the type described and manufactured to the same production standards as the example evaluated.

3.1.2 This Approval is not applicable to any device which has been subject to repair or modification by person(s) other than the original manufacturer or his authorised agent.

3.1.3 The use of an extension cable to permit remote connection of the display unit is permitted subject to the AMRT device being accessible as required by the F5J class rules.

3.1.4 It is a condition of this approval that when installed in a model flown in competitions, no connection is made between the Mvario2 Ex and the radio system for the purpose of telemetry.

### 3.2 Withdrawal of Approval

If after this Approval has been issued, inconsistencies of performance are found in further examples of the device(s), Approval may be withdrawn upon notice to the manufacturer.

### 3.3 Changes to F5J Class Rules

If the F5J class rules are amended in any manner that affects the technical specification of the AMRT, the validity of this Approval will be subject to review.

### 3.4 Expiry of Approval

This Approval remains active until it is either superseded or withdrawn. A list of all currently active Approvals can be obtained from the FAI CIAM website.

## 4 PRODUCTION STATUS

At the date of issue of this Approval, the Mvario2 Ex and JetiBox are in current production.

## 5 MANUFACTURER'S CHANGES

Notification of any changes to hardware and/or firmware must be made by the manufacturer to the Chairman of EDIC-WG so that a decision can be made on any further testing that might be required to maintain CIAM Approval of the AMRT. This includes changes that are applicable to any additional functions of the device(s) that do not necessarily form part of the F5J requirements.

*(original signed)*

Eur Ing Paul Newell  
Chairman FAI-CIAM EDIC Working Group

Address any queries to:  
Chairman, FAI-CIAM EDIC Working Group  
email: [ciam-edic@fai.org](mailto:ciam-edic@fai.org)