according to Regulation (EC) No 1907/2006

Revision date: 31.10.2018		8 - Hardener uct code:	Page 1 of 9
		6 4 h	
SECTION 1: Identification of the	e substance/mixture and o	f the company/undertaking	
1.1. Product identifier			
SY-QS48 -			
Hardener CAS No:	-		
EC No:	-		
1.2. Relevant identified uses of the	substance or mixture and us	ses advised against	
Use of the substance/mixture			
Hardener for epoxy resins			
Uses advised against			
Any non-intended use.			
1.3. Details of the supplier of the same	afety data sheet		
Company name:	Hepf GmbH		
Street:	Dorf 69		
Place:	A-6342 Niederndorf		
Telephone:	+43 5373 570033		
e-mail:	info@hepf.at		
Contact person:	Stefan Thaler		
e-mail:	Stefan.Thaler@hepf.at		
Internet:	www.hepf.at		
Responsible Department:	Dr. Gans-Eichler	e-mail: info@tge-consult.de	
	Chemieberatung GmbH Raesfeldstr. 22	Tel.: +49(0)251/394868-69	
	D-48149 Münster	www.tge-consult.de	
4.4. Emergeney telenhene		ntrole () (17) Wien: 142 (0) 1 406 42 42	
1.4. Emergency telephone	verginungsinformationsze	entrale (VIZ) Wien: +43 (0) 1 406 43 43	
<u>number:</u>			
<b>SECTION 2: Hazards identificat</b>	ion		

## Regulation (EC) No. 1272/2008

Hazard categories: Acute toxicity: Acute Tox. 4 Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1 Hazard Statements: Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.

### 2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



Hazard statements H302

Harmful if swallowed.

according to Regulation (EC) No 1907/2006

## SY-QS48 - Hardener

Revision date: 31.10.2018	Product code:	Page 2 of 9
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
Precautionary statemen	Its	
P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P501	Dispose of contents/container to local/regional/national/international regulations.	

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

## Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
-	Mercaptan/amine polymer		100 %	
	-			
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H302 H315 H319 H317			

Full text of H and EUH statements: see section 16.

#### **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment. Take off contaminated clothing and wash it before reuse.

## After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

## After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

according to Regulation (EC) No 1907/2006

#### SY-QS48 - Hardener

Revision date: 31.10.2018

Product code:

Page 3 of 9

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

#### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2) Nitrogen oxides (NOx). Sulfur oxides. Hydrogen sulfide (H2S)

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8). Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes. Evacuate area.

#### 6.2. Environmental precautions

Discharge into the environment must be avoided.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Wear suitable protective clothing. See section 8.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Further information on handling

General protection and hygiene measures: See section 8.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep/Store only in original container.

#### Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious

according to Regulation (EC) No 1907/2006

## SY-QS48 - Hardener

Revision date: 31.10.2018

Product code:

Page 4 of 9

substances. Food and animal feedingstuff.

#### Further information on storage conditions

Recommended storage temperature: 21°C

Protect against: Light. UV-radiation/sunlight. heat. moisture.

## 7.3. Specific end use(s)

See section 1.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Additional advice on limit values

To date, no national critical limit values exist.

#### 8.2. Exposure controls





Appropriate engineering controls Provide adequate ventilation.

#### Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

#### Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). DIN EN 166

#### Hand protection

Wear suitable gloves. Suitable material: FKM (fluororubber). - Thickness of glove material: 0,4 mm Breakthrough time >= 8 h Butyl rubber. - Thickness of glove material: 0,5 mm Breakthrough time >= 8 h CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm Breakthrough time >= 8 h NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm Breakthrough time >= 8 h PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm Breakthrough time >= 8 h The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

#### **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-exceeding exposure limit values

-insufficient ventilation and aerosol or mist formation

Suitable respiratory protective equipment: particulates filter device (DIN EN 143). Type: P1-3

according to Regulation (EC) No 1907/2006

	SY-QS48 - Hardener		
F	Revision date: 31.10.2018	Product code:	Page 5 of 9
	The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).		
	Environmental exposure controls		
	No special precautionary measure	es are necessary.	

9.1. Information on basic physical and che	mical properties
Physical state:	liquid
Colour:	yellow
Odour:	characteristic
pH-Value:	not determined
Changes in the physical state	
Melting point:	not determined
Initial boiling point and boiling range:	>200 °C
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
Flash point:	110 °C
Sustaining combustion:	Not sustaining combustion
Explosive properties none	
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Ignition temperature:	not determined
Auto-ignition temperature Gas:	not determined
Decomposition temperature:	not determined
Oxidizing properties none	
Vapour pressure:	not determined
Density:	1,17 g/cm³
Water solubility:	slightly soluble
Solubility in other solvents not determined	
Partition coefficient:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Flow time:	not determined
Vapour density:	not determined
Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	not determined
9.2. Other information	

Revision No: 1,0

## according to Regulation (EC) No 1907/2006 SY-QS48 - Hardener Revision date: 31.10.2018 Product code: Page 6 of 9 not determined Solid content: **SECTION 10: Stability and reactivity** 10.1. Reactivity No information available. 10.2. Chemical stability The product is chemically stable under recommended conditions of storage, use and temperature. 10.3. Possibility of hazardous reactions No information available. 10.4. Conditions to avoid Protect against: UV-radiation/sunlight. heat. Avoid contact with large masses of epoxy resins. 10.5. Incompatible materials Materials to avoid: Oxidizing agents, strong. Reducing agents, strong. amines. 10.6. Hazardous decomposition products Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2) Nitrogen oxides (NOx). Sulfur oxides. Hydrogen sulfide (H2S) **SECTION 11: Toxicological information** 11.1. Information on toxicological effects Toxicocinetics, metabolism and distribution No data available. Acute toxicity Harmful if swallowed. CAS No Chemical name Source Method Dose Species Exposure route Mercaptan/amine polymer

## Irritation and corrosivity

oral

Causes skin irritation.

Causes serious eye irritation.

## Sensitising effects

May cause an allergic skin reaction. (Mercaptan/amine polymer)

ATE

mg/kg

500

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No data available.

#### **SECTION 12: Ecological information**

according to Regulation (EC) No 1907/2006

## SY-QS48 - Hardener

Revision date: 31.10.2018

Product code:

Page 7 of 9

#### 12.1. Toxicity

The product has not been tested.

## 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

No data available.

#### Further information

Do not allow to enter into surface water or drains.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

#### Waste disposal number of waste from residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

#### Waste disposal number of used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

#### Waste disposal number of contaminated packaging

#### 150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Inland waterways transport (ADN)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	

according to Regulation (EC) No 1907/2006

according to Regulation (EC) No 1907/2006			
SY-QS48 - Hardener			
Revision date: 31.10.2018	Product code:	Page 8 of 9	
Marine transport (IMDG)			
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
Air transport (ICAO-TI/IATA-DGR)			
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	no		
14.6. Special precautions for user			
Refer to section 6-8			
14.7. Transport in bulk according to Annex	Il of Marpol and the IBC Code		
not relevant			
SECTION 15: Regulatory information			
SECTION 13. Regulatory mormation			
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture		
EU regulatory information			
2010/75/EU (VOC):	No information available.		
2004/42/EC (VOC):	No information available.		
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)		
Additional information			
The mixture is classified as hazardous REACH 1907/2006 Appendix XVII, No	according to regulation (EC) No 1272/2008 [CLP]. (mixture): 3		
National regulatory information			
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juveni	le	
	work protection guideline' (94/33/EC).		
Water contaminating class (D):	1 - slightly water contaminating		
15.2. Chemical safety assessment	ivture a chamical actaty appagament has been carried out:		
SECTION 16: Other information	ixture a chemical safety assessment has been carried out:		
Changes			
Rev. 1.0; Initial release: 31.10.2018			
Abbreviations and acronyms	t des marchandises dangersusse per Poute		
CAS Chemical Abstracts Service	rt des marchandises dangereuses par Route		
DNEL: Derived No Effect Level			
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER			
IMDG: International Maritime Code for			
IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)			
ICAO: International Civil Aviation Organization			
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)			

according to Regulation (EC) No 1907/2006

## SY-QS48 - Hardener

Revision date: 31.10.2018

Product code:

Page 9 of 9

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program N/A: not applicable OSHA: Occupational Safety and Health Administration PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) SARA: Superfund Amendments and Reauthorization Act SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe **TSCA:** Toxic Substances Control Act VOC: Volatile Organic Compounds VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe WGK: Wassergefaehrdungsklasse Relevant H and EUH statements (number and full text) H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

#### **Further Information**

Classification according EC regulation 1272/2008 (CLP): - Classification procedure: Health hazards: Calculation method. Environmental hazards: Calculation method. Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.